

W.E.F - August 2019

Price Catalogue

Keep in Touch



AN ISO 9001:2015-14001 COMPANY



Wires & Cables

IS : 694 : 2010
IS : 1554 Part-1:1988
IS : 7098 Part-1:1988
IS : 14255 : 1995 (ABC)



CM/L-8813687
CM/L-2551754
CM/L-2551653
CM/L-2551552
CM/L-8300123307





1 MULTI STRAND WIRE 90 METERS FR



Size in Sq. mm	No. of Strand	Std. Packing	Price.
0.75	10/0.3	28	710.00
1.00	14/0.3	24	999.00
1.50	22/0.3	20	1499.00
2.50	36/0.3	12	2399.00
4.00	56/0.3	08	3650.00
6.00	84/0.3	06	5299.00

AN ISO 9001:2015-14001 COMPANY
QCI (FRLS)
TRIPLE LAYERED WIRES FOR 3 Protection
Wires & Cables

2 MULTI STRAND WIRE 90 METERS TRIPLE SAFETY



Size in Sq. mm	No. of Strand	Std. Packing	Price.
0.75	10/0.3	28	749.00
1.00	14/0.3	24	1049.00
1.50	22/0.3	20	1579.00
2.50	36/0.3	12	2519.00
4.00	56/0.3	08	3829.00
6.00	84/0.3	06	5569.00

45 MTRS. POUCH AND 180 MTRS. PROJECT PACKING ALSO AVAILABLE

AN ISO 9001:2015-14001 COMPANY
QCI XTREME
Wires & Cables

3 MULTI STRAND WIRE 90 METERS X-TREME



Size in Sq. mm	No. of Strand	Std. Packing	Price.
1.00	14/0.3	24	1099.00
1.50	22/0.3	20	1649.00
2.50	36/0.3	12	2639.00
4.00	56/0.3	08	4019.00
6.00	84/0.3	06	5829.00


4 CO-AXIAL CABLES IMPORTED CORE WITH JELLY FILLED C.C.A.



		COPPER	C.C.S.
R.G.- 6	Heavy (90 mts) Pouch Pkg.	1700.00	1150.00
R.G.- 6	Drum (305 mts)	5850.00	3999.00
R.G.- 11	Drum (305 mts)	15000.00	7800.00

5 C.C.T.V. CABLE COPPER 100 METERS ALL COPPER BRAIDED



	2+1	2200.00
	3+1	2300.00
	4+1	2700.00
	5+1	2900.00
	305 MTRS CAT 5e+	5400.00
	305 MTRS CAT 6e+	7200.00

6 TELEPHONE CABLES (UNARMoured) TAPPED 90 MTRS.



No. of Pairs		0.51
1	Box Packing 90 Mtrs	540.00
2	Box Packing 90 Mtrs	870.00

Note: 3 to 100 Pair 500/- each pair 100 MTR. Taped with Tined Copper F.R P.V.C.

7 TWIN CORE 400 MTR.



7/032	TWIN CORE (Aluminium) BLACK	9000.00
7/036	TWIN CORE (Aluminium) BLUE	11350.00
7/044	TWIN CORE (Aluminium) RED	12500.00

8 SUBMERSIBLE CABLES (3 CORE FLAT) PER MT.



	ZHFR	FR
1.5	22/0.3	64.00
2.5	36/0.3	94.00
4.0	56/0.3	134.00
6.0	85/0.3	196.00
10.0	140/0.3	330.00
16.0	101/0.45	510.00
25.0	157/0.45	760.00
35.0	220/0.45	1080.00
50.0	314/0.45	1560.00

9 TRANSPARENT SPEAKER WIRE



1.5 SQ.MM (HEAVY DTH)	100 Mts	3200.00
2.5 SQ.MM (HEAVY DTH)	100 Mts	6000.00
14/60	90 Mts	710.00
23/60	90 Mts	1150.00
23/76	90 Mts	1900.00
40/60	90 Mts	2100.00
40/76	90 Mts	3200.00

10 SOLAR CABLES 100 MTRS.



4 Sq.mm	4500.00
6 Sq.mm	6500.00

11 FLEXIBLE CORD CABLES 90 METERS



23/0060	2 Core Flat	1070.00
23/0060	2 Core Parallel	1050.00
23/0060	2 Core Round	1490.00
23/0060	3 Core Round	2150.00
40/0060	2 Core Round	2360.00
40/0060	3 Core Round	3360.00

12 PVC INSULATED SINGLE CORE & MULTI CORE FLEXIBLE WIRE COPPER CONDUCTOR CLIMATE CONTROL CABLES (SHEATED) F.R.L.S **100 METERS**
ZHFR ALSO AVAILABLE AGAINST ORDER



MM	Amps	SIZE	1 Core	2 Core	3 Core	4 Core	5 Core
0.50	4	16/0.20	600.00	1700.00	2200.00	2850.00	3800.00
0.75	7	24/0.20		2100.00	2950.00	3850.00	4900.00
1.00	11	20/0.25		2700.00	3850.00	4850.00	6200.00
1.50	14	30/0.25		3800.00	5280.00	6800.00	8700.00
2.50	19	50/0.25		6200.00	8200.00	11000.00	13500.00
4.00	26	56/0.30		9400.00	13000.00	17600.00	23000.00
6.00	33	80/0.25		31600.00	20000.00	26500.00	32500.00
10.00	45	140/0.30	10000.00	23500.00	33000.00	42800.00	52000.00
16.00	60	101/0.45	17600.00	35000.00	50000.00	63000.00	78000.00
25.00	75	157/0.45	23600.00	55000.00	77500.00	97000.00	135000.00
35.00	95	220/0.45	33000.00	85000.00	110000.00	133000.00	180000.00
50.00	125	314/0.45	47500.00	115000.00	162500.00	205000.00	260000.00
70.00	170	440/0.45	66200.00		205000.00	277000.00	385000.00
95.00	210	597/0.45	89900.00		316000.00	411000.00	
120.00	235	755/0.45	113600.00		384000.00	505000.00	
150.00	295	945/0.45	142000.00		490000.00	650000.00	
185.00	330	1162/0.45	175000.00		625000.00	800000.00	
240.00	400	1508/0.45	227100.00		759000.00	1050000.00	
300.00	475	1885/0.45	284000.00			1300000.00	
400.00	500	2514/0.45	379000.00				
530.00			501600.00				
630.00			610000.00				

13 PVC INSULATED MULTI CORE FLEXIBLE COPPER CONDUCTOR CABLE **PER METER**



No. of Core/SIZE	10/0.25(0.5 sq.mm)	15/0.25(0.75 sq.mm)	20/0.25(1.0 sq.mm)	22/0.3(1.5 sq.mm) (30/0.25)	36/0.3(2.5 sq.mm) (50/0.25)	56/0.3(4.0 sq.mm) (80/0.25)	85/0.3(6.0 sq.mm)
6 Core	50.00	60.00	78.00	118.00	182.00	275.00	420.00
7 Core	56.00	70.00	88.00	132.00	216.00	320.00	495.00
8 Core	66.00	78.00	105.00	150.00	242.00	370.00	566.00
10 Core	70.00	95.00	130.00	180.00	302.00	464.00	710.00
12 Core	87.00	124.00	150.00	218.00	362.00	555.00	852.00
16 Core	110.00	156.00	198.00	278.00	454.00	720.00	
19 Core	128.00	188.00	234.00	325.00	542.00		
24 Core	166.00	238.00	296.00	430.00	690.00		
30 Core	210.00	280.00	365.00	520.00	866.00		
37 Core	256.00	344.00	454.00	660.00			
50 Core	350.00	468.00	610.00	910.00			

14 MULTICORE PVC INSULATED, MYLAR TAPPED (ATC), BRAIDED SHIELDED CABLES
RATE PER MTRS



NO. OF CORE	0.5 SQ.MM	0.75 SQ.MM	1.0 SQ.MM	1.5 SQ.MM	2.5 SQ.MM	4.0 SQ.MM
2	28.00	34.00	39.00	54.00	88.00	130.00
3	36.00	46.00	54.00	75.00	122.00	187.00
4	44.00	60.00	70.00	94.00	158.00	238.00
5	56.00	76.00	84.00	118.00	210.00	
6	66.00	90.00	106.00	148.00	234.00	
8	88.00	120.00	138.00	190.00	300.00	
10	110.00	140.00	172.00	250.00		
12	136.00	180.00	194.00	292.00		
16	184.00	210.00	260.00	360.00		
19	220.00	256.00	302.00	430.00		
24	262.00	315.00	376.00	550.00		
6 x 4 Shed Rs. 360.00		10 x 4 Shed Rs. 630.00			16 x 4 Shed Rs. 970.00	

15 ALUMINIUM ARMoured POWER CABLES PER MTR.



Area in Sq. mm	CORE (ARMoured)				
	1	2	3	3.5	4
2.5			79.00		91.00
4		72.00	81.00		95.00
6		81.00	96.00		108.00
10		100.00	119.00		139.00
16		122.00	129.00		159.00
25		129.00	167.00	197.00	204.00
35		159.00	210.00	238.00	258.00
50		198.00	267.00	308.00	333.00
70		265.00	354.00	410.00	461.00
95			449.00	512.00	578.00
120			544.00	630.00	697.00
150			673.00	764.00	871.00
185			831.00	950.00	1066.00
240			1049.00	1192.00	1349.00
300			1262.00	1432.00	1636.00
400			1597.00	1794.00	2061.00
630				3414.00	

16 CO-AXIAL ARMoured CABLE



RG-6 Copper Armoured	52.00
RG-11 Copper Armoured	85.00

17 LAN ARMoured CABLE



CAT - 6et Copper Armoured	66.00
---------------------------	-------

18 SHIELDED ARMoured CABLE



1.5 x 2 Shielded Armoured	88.00
1.5 x 3 Shielded Armoured	105.00
1.5 x 4 Shielded Armoured	126.00
2.5 x 2 Shielded Armoured	120.00
2.5 x 3 Shielded Armoured	155.00
2.5 x 4 Shielded Armoured	194.00
1.5 x 24 Shielded Armoured	546.00

19 TELEPHONE ARMoured CABLE



5 Pair Telephone Armoured	66.00
10 Pair Telephone Armoured	90.00
20 Pair Telephone Armoured	154.00
50 Pair Telephone Armoured	328.00
100 Pair Telephone Armoured	548.00

20 COPPER ARMoured CABLES FRLS PER METER



Number of Cores	1.5	2.5
	2	80.00
3	97.00	133.00
4	117.00	165.00
5	140.00	198.00
6	163.00	231.00
7	177.00	261.00
8	199.00	296.00
9	226.00	319.00
10	245.00	342.00
12	284.00	397.00
14	321.00	458.00
16	342.00	515.00
19	400.00	613.00
24	495.00	766.00
27	549.00	849.00
30	642.00	970.00
37	774.00	1194.00
44	908.00	1399.00
52	1026.00	1680.00
61	1238.00	1906.00

21 ARMoured COPPER CABLES FRLS COPPER ARMoured CABLE



Sq.mm	2 Core	3 Core	3.5 Core	4 Core
4	139.00	184.00		228.00
6	179.00	240.00		316.00
10	288.00	385.00		499.00
16	390.00	539.00		722.00
25	642.00	920.00	1108.00	1215.00
35	877.00	1266.00	1453.00	1661.00
50	1191.00	1726.00	2017.00	2310.00
70		2450.00	2855.00	3230.00
95		3519.00	4111.00	4710.00
120		4423.00	5268.00	5928.00
150		5520.00	6366.00	7399.00
185			7941.00	
240			10200.00	
300			12706.00	

22 TWIN CORE FLAT ALUMINIUM





Size in Sq. mm	Light Rate	Heavy Rate
4.00		1260.00
6.00	1730.00	2010.00
10.00	2420.00	2740.00

23 ALUMINIUM CONDUCTOR WIRE (90 MTS)





Size in Sq. mm	3 Core	4 Core
6.00	3290.00	4130.00
10.00	4460.00	5700.00
16.00	4160.00	8750.00

Size	DESCRIPTION	MM	PRICE PER COIL
24	ALUMINIUM VIR WIRE		
	90 MTS.		
3/20	2.5 Sq. mm	0.36	410.00
7/20	4 Sq. mm	0.36	820.00
7/18	6 Sq. mm	0.44	1220.00
7/54	10 Sq. mm	0.54	1550.00
7/16	16 Sq. mm	0.64	2280.00
19/16	50 Sq. mm	0.64	6600.00


Size	DESCRIPTION	MM	PRICE PER COIL
27	FLEXIBLE WIRE		
	(TWIN TWISTED) 90 MTS.		
10/076		100	670.00
14/0052		101	560.00
23/0052		102	840.00
40/0052		103	1100.00
40/0060		104	1640.00
23/76	Twin Twisted Tine Copper		1840.00

Size	DESCRIPTION	MM	PRICE PER COIL
25	ALUMINIUM SINGLE CORE WIRE		
	Only available in Black Colour		
		Rate per Mt.	
25 Sq.mm	Aluminium		45.00
35 Sq.mm	Aluminium		64.00
50 Sq.mm	Aluminium		90.00
70 Sq.mm	Aluminium		125.00
95 Sq.mm	Aluminium		170.00
120 Sq.mm	Aluminium		216.00
150 Sq.mm	Aluminium		270.00
185 Sq.mm	Aluminium		330.00
240 Sq.mm	Aluminium		430.00
300 Sq.mm	Aluminium		536.00
400 Sq.mm	Aluminium		715.00
630 Sq.mm	Aluminium		1125.00

Size	DESCRIPTION	MM	PRICE PER COIL
28	MULTI STRAND WIRE		
	90 METERS		
1/038	0.75 Sq. mm	1/18 XLPE Box Packing	890.00
1/044	1.0 Sq. mm	1/18 XLPE Pouch Packing	1150.00
3/029	1.5 Sq. mm	3/22	1750.00
3/036	2.5 Sq. mm	3/20 XLPE Heavy	2450.00
7/029	7/22		3400.00
7/036	4.0 Sq. mm	7/20 XLPE Heavy	5200.00
7/044	6.0 Sq. mm		6400.00
7/054	10.0 Sq. mm		10700.00
7/064	16.0 Sq. mm	Heavy Duty	15800.00
19/054	25.0 Sq. mm	Heavy Duty	26300.00
19/064	35.0 Sq. mm	Heavy Duty	41200.00
19/070	50.0 Sq. mm	Per Meter	595.00
37/061	70.0 Sq. mm	Per Meter	840.00
37/071	95.0 Sq. mm	Per Meter	1140.00
37/080	120.0 Sq. mm	Per Meter	1460.00
37/0013	240.0 Sq. mm	Per Meter	2600.00

Size	DESCRIPTION	MM	PRICE PER COIL
26	COPPER PVC SHEATHED (WHITE) WIRE 90 MTS {CTS}		
		COPPER	ALUMINIUM
3/20	3/.036 (White)	2590.00	
7/20	7/.036 (White)	5300.00	1040.00
7/18	7/.044 (White)		1430.00
	7/.054 (White)		1840.00
7/16	7/.064 (White)		2910.00

SOME OF OUR PRESTIGIOUS CLIENTS



Authorized Dealers :

Note :-

1. GST & Other Taxes as applicable shall be charged extra.
2. This cancels all our previous price lists.
3. The prices are subject to change without prior notices.



Armoured



Submersible



Multistrand



Multi Core

AN ISO 9001:2015-14001 COMPANY



Use your Smartphone



to read QR Code

UNIT - I

Plot No. 46, 47 & 48, Sector-IIIDC IIE, SIDCUL
Haridwar - 249403

UNIT - II

AZURE SWITCHGEAR PVT. LTD.

Plot No. 9, Sector-4, IIE, SIDCUL, Haridwar-249403 (U.K.)

Head Office :

OCI CABLE INDIA

97, Bahubali Enclave, Delhi-110092

Toll Free No. 1800-120-46-9999 ■ www.ocicables.com ■ E-mail : ocicables@gmail.com

